

Publikationen 2010

Klinik und Poliklinik für diagnostische Radiologie
Univiersitätsklinikum Hamburg-Eppendorf

Originalien

Bannas P, Weber C, Adam G, Frenzel T, Derlin T, Lambert J, Mester J, Klutmann S Contrast-enhanced FDG-PET/CT for Staging and Radiotherapy Planning in Patients with Anal Cancer Int J Radiat Oncol Biol Phys. 2010 Sep 8. [Epub ahead of print]

Bannas P, Graumann O, Balcerak P, Peldschus K, Kaul MG, Hohenberg H, Haag F, Adam G, Ittrich H, Koch-Nolte F. Quantitative magnetic resonance imaging of enzyme activity on the cell surface: in vitro and in vivo monitoring of ADP-ribosyltransferase 2 on T cells. Mol Imaging. 2010 Aug;9(4):211-22.

Bley TA, Duffek CC, Francois CJ, Schiebler ML, Acher CW, Mell M, et al. Presurgical localization of the artery of Adamkiewicz with time-resolved 3.0-T MR angiography. Radiology. 2010 Jun;255(3):873-81.

Bley TA, Wieben O, Francois CJ, Brittain JH, Reeder SB. Fat and water magnetic resonance imaging. J Magn Reson Imaging. 2010 Jan;31(1):4-18.

Buhk JH, Finck-Wedel AK, Buchert R, Bannas P, Schnackenburg B, Beil FU, Adam G, Weber C. Screening for atherosclerotic plaques in the abdominal aorta in high-risk patients with multicontrast-weighted MRI: a prospective study at 3.0 and 1.5 tesla. Br J Radiol (2010)

Buhk JH, Jung S, Psychogios MN, Goricke S, Hartz S, Schulz-Heise S, Klingebiel R, Forsting M, Bruckmann H, Dorfler A, Jordan M, Buchfelder M, Knauth M. Tumor volume of growth hormone-secreting pituitary adenomas during treatment with pegvisomant: a prospective multicenter study. J Clin Endocrinol Metab (2010) 552-558.

Buhk JH, Ries T, Finck-Wedel AK, Beil FU, Adam G, Weber C. Possibilities and Limitations in Imaging the Intracranial Arteries in the Context of a Contrast-Enhanced Whole-Body Magnetic Resonance Angiographic Screening Protocol at 1.5 Versus 3 Tesla. J Comput Assist Tomogr. 2010 Dec 6. [Epub ahead of print]

Groth M, Henes FO, Müllerleile K, Adam G, Begemann PG, Regier M. Correlation of right ventricular dysfunction parameters and pulmonary vascular obstruction score in acute pulmonary embolism in a porcine model. Emerg Radiol 17(2010) 367-374

Groth M, Henes FO, Bannas P, Muellerleile K, Adam G, Regier M. Intraindividual Comparison of Contrast-Enhanced MRI and Unenhanced SSFP Sequences of Stenotic and Non-stenotic Pulmonary Artery Diameters. Fortschr Röntgenstr (2010) Epub ahead of print

Hahne JD, Peitsmeyer P, Habermann CR. Erfolgreiche konservative Therapie eines infizierten, perkutan implantierten, infrarenaalen Aortenstents. Fortschr Röntgenstr 2010 Nov 15. [Epub ahead of print]

Henes FO, Groth M, Regier M, Bley T, Nagel HD, Adam G, Begemann PG. Prospective respiratory-triggered 64-slice CT pulmonary angiography for detection of pulmonary embolism- a feasibility study in a porcine model. Emerg Radiol 17 (2010) 465-471

Henes FO, Groth M, Begemann PG, Adam G, Regier M. Intraindividual comparison of gadolinium- and iodine-enhanced 64-slice multidetector CT pulmonary angiography for the detection of pulmonary

embolism in a porcine model. *Emerg Radiol* (2010) Epub ahead of print

Hoffmann BA*, Koops A*, Rostock T, Müllerleile K, Steven D, Karst R, Steinke MU, Drewitz I, Lund G, Koops S, Adam G, Willems S: Interactive real-time mapping and catheter ablation of the cavotricuspid isthmus guided by magnetic resonance imaging in a porcine model. *Eur Heart J* 31 (2010) 450-6 *Shared first authorship

Lorenzen M, Wedegärtner U, Weber C, Adam G, Lorenzen J. Postoperative Monitoring of Distal Intraarticular Radial Fractures Treated with Osteosynthesis by means of Multislice CT. *Rofo*. 2010 Aug 19. [Epub ahead of print]

Peldschus K, Schultze A, Nollau P, Kaul M, Schumacher U, Wagener C, Adam G, Ittrich H. Quantitative MR imaging of targeted SPIO particles on the cell surface and comparison to flow cytometry. *Magn Reson Imaging* 28 (2010) 599-606

Peldschus K, Hamdorf M, Robert P, Port M, Adam G, Herborn CU. Comparison of the high relaxivity Gd chelates P1152 and Gd-BOPTA for contrast-enhanced MR angiography in rabbits at 1.5 Tesla and 3.0 Tesla. *J Magn Reson Imaging* 32 (2010) 459-65

Wedegärtner U, Kooijman H, Andreas T, Beindorff N, Hecher K, Adam G. T2 and T2* measurements of fetal brain oxygenation during hypoxia with MRI at 3T: correlation with fetal arterial blood oxygen saturation. *Eur Radiol* 20 (2010) 121-7.

Wedegärtner U, Kooijman H, Yamamura J, Frisch M, Weber C, Buchert R, Huff A, Hecher K, Adam G. In vivo MRI measurement of fetal blood oxygen saturation in cardiac ventricles of fetal sheep: a feasibility study. *Magn Reson Med* 64 (2010) 32-41.

Yamamura J, Salomon G, Buchert R, Hohenstein A, Graessner G, Huland H, Graefen M, Adam G, Wedegärtner U. MR Imaging of prostate cancer: Diffusion Weighted Imaging and (3D) hydrogen 1 (1H) MR spectroscopy in Comparison with Histology. *Radiology Research and Practice*. 2011. Doi: 10.1155/2011/616852

Yamamura J, Grosse R, Graessner J, Jancka GE, Adam G, Fischer R. Distribution of Cardiac Iron measured by MRI-R2*. *J MagnResonImaging*. 2010. Nov; 32 (5): 1104-9.

Yamamura J, Frisch M, Ecker H, Graessner J, Hecher K, Adam G, Wedegärtner U. Self-gating MR Imaging of the Fetal Heart: comparison with real Cardiac Triggering. *Eur Radiology*. 2011 Jan; 21 (1): 142-9. Epub 2010 Jul 30.

Yamamura J, Tornquist K, Wildberger J, Buchardt R, Nagel HD, Dichtl D, Adam G, Wedegärtner U. Simulated low-dose computed tomography in oncological patients: a feasibility study. *J Comput Assist Tomogr*. 2010 Mar-Apr; 34 (2): 302-8

in Kooperation mit anderen Kliniken

Bruns J, Habermann CR, Rütger W, Dellling D. The use of CT derived solid modelling of the pelvis in planning cancer resections. *European Journal of Surgical Oncology* 36 (2010) 594-598

Frydrychowicz A, Russe MF, Bock J, Stalder AF, Bley TA, Harloff A, et al. Comparison of gadofosveset trisodium and gadobenate dimeglumine during time-resolved thoracic MR angiography at 3T. *Acad Radiol*. 2010 Nov;17(11):1394-400.

François CJ, Lum DP, Johnson KM, Landgraf BR, Bley TA, Reeder SB, Schiebler ML, Grist TM, Wieben O. Renal Arteries: Isotropic, High-Spatial-Resolution, Unenhanced MR Angiography with Three-dimensional Radial Phase Contrast. *Radiology*. 2010 Oct 27. [Epub ahead of print]

Geiger J, Bley T, Uhl M, Frydrychowicz A, Langer M, Markl M. Diagnostic value of T2-weighted imaging for the detection of superficial cranial artery inflammation in giant cell arteritis. *J Magn Reson Imaging*. 2010 Feb;31(2):470-4.

Gros SJ, Dohrmann T, Peldschus K, Schurr PG, Kaifi JT, Kalinina T, Reichelt U, Mann O, Strate TG, Adam G, Hoffman RM, Izbicki JR. Complementary use of fluorescence and MR imaging of metastatic esophageal cancer in a novel orthotopic mouse model. *Int J Cancer* 126 (2010) 2671- 2681

Gros SJ, Kurschat N, Dohrmann T, Reichelt U, Dancau AM, Peldschus K, Adam G, Hoffman RM, Izbicki JR, Kaifi JT. Effective therapeutic targeting of the overexpressed HER-2 receptor in a highly metastatic orthotopic model of esophageal carcinoma. *Mol Cancer Ther* 9 (2010) 2037 - 2045

Hines CD, Bley TA, Lindstrom MJ, Reeder SB. Repeatability of magnetic resonance elastography for quantification of hepatic stiffness. *J Magn Reson Imaging*. 2010 Mar;31(3):725-31

Mortensen K, Baulmann J, Rybczynski M, Sheikhzadeh S, Aydin MA, Treede H, Dombrowski E, Kühne K, Peitsmeier P, Habermann CR, Robinson PN, Stuhmann M, Berger J, Meinertz T, von Kodolitsch Y. Augmentation Index and the Evolution of Aortic Disease in Marfan-like Syndroms. *Am J Hypertension* 23 (2010) 716-24

Psychogios MN, Buhk JH, Schramm P, Xyda P, Mohr A, Knauth M. Feasibility of Angiographic CT in Peri-Interventional Diagnostic Imaging: A Comparative Study with Multidetector CT. *AJNR Am J Neuroradiol* (2010) 1226-31

Psychogios MN, Schramm P, Buhk JH, Xyda A, Groschel K, Jung K, Knauth M. Angiographic CT after intravenous contrast agent application: A noninvasive follow-up tool after intracranial angioplasty and stenting. *AJNR Am J Neuroradiol* (2010) 1886-91

Rybczynski M, Koschik D, Karmeier A, Gessler N, Sheikhzadeh S, Bernhardt AM, Habermann CR, Treede H, Berger J, Robinson PN, Meinertz T, von Kodolitsch Y. Frequency of Sleep Apnea in Adults With the Marfan Syndrome. *Am J Cardiology* 105 (2010) 1836-1841

Sheikhzadeh S, Rybczynski M, Habermann CR, Bernhardt A, Arslan-Kircher M, Keyser B, Kaemmerer H, Mir T, Staebler A, Oezdal N, Robinson PN, Berger J, Meinertz T, von Kodolitsch Y. Dural Ectasia in Individuals with Marfan-like Features but Exclusion of Mutations in the Genes FBN1, TGFBR1 and TGFBR2. *Clinical Genetics* (2010) doi: 10.1111/j.1399-0004.2010.01494

von Kodolitsch Y, Aydin AM, Bernhardt AM, Habermann CR, Treede H, Reichenspurner H, Meinertz T, Dodge-Khatami A. Aortic aneurysms after correction of aortic coarctation: A systematic review. *VASA* 39 (2010) 3-16

Wolschke C, Fiedler W, Habermann CR, Janka-Schaub GE, Kluge S. 28-jährige Patientin mit respiratorischer Insuffizienz, erhöhten Leberwerten, Fieber, Panzytopenie. *Internist* 51 (2010) 1434-1438

Editorials

keine

Buchbeiträge

keine

Begemann PGC, Grigoryev M, Lund G, Adam G, Dewey M. Coronary artery anomalies. In: *Cardiac CT*. Springer-Verlag Berlin Heidelberg. ISBN: 978-3-642-14021-1

Habermann CR. Bildgebung Larynx-/Hypopharynx (pp 63-68) in Dietz A. *Kopf-Hals-Tumoren - Therapie des Larynx-/Hypopharynxkarzinoms unter besonderer Berücksichtigung des Larynxorganerhaltes* (2. Auflage) UNI-MED 2010

Wieben O, Bley TA. Chapter 81, Magnetic resonance angiography: Physics and Instrumentation. In: Ho and Reddy, "Cardiovascular Imaging: Expert Radiological Series", Elsevier Inc., Philadelphia, USA 2010

Bley TA. Magnetic Resonance Angiography. In: Leyendecker JR, Brown JJ, Mekle EM. Abdominal and Pelvic MRI. Lippincott Williams&Wilkins, 2010

Säring D, Müllerleile K, Groth M, Lund G, Handels H. Lokale Analyse von Infarkttrandzonen in 3D-DE-MRT Bildsequenzen. In: Deserno, T.M., Handels H., Meinzer H.P., Tolxdorff T. (Hrsg.), Bildverarbeitung für die Medizin 2010, Informatik aktuell, Springer Verlag, Heidelberg (2010) 66-70

Vorträge mit publiziertem Abstract

Bannas P, Habermann CR, Jung C, Ittrich H, Adam G, Koops A. Diagnostic Accuracy of Upright MDCT Scanners in Patients with Oral and Oropharyngeal Cancer In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Bannas P, Rissiek B, Schrepfer S, Haag F, Adam G, Ittrich H, Koch-Nolte F. In vivo fluorescence imaging of T cells: A comparison of nanobodies and conventional monoclonal antibodies World Molecular Imaging Congress Meeting Program 2010

Bannas P, Weber C, Adam G, Derlin T, Frenzel T, Mester J, Klutmann S. PET/CT zur Bestrahlungsplanung bei Patienten mit Analkarzinom. Fortschr Röntgenstr 182 (Suppl 1) (2010)

Bartelt A, Bruns OT, Peldschus K, Ittrich H, Tromsdorf UI, Merkel M, Heeren J. Brown adipose tissue is a major determinant of plasma clearance and organ uptake of triglyceride-rich lipoproteins. Proc. 78th Congress European Atherosclerosis Society (2010) 25

Bley TA, Schiebler ML, Reeder SB, Takei N, Wieben O, Grist TM, Francois CJ. Non-contrast-enhanced renal MRA using inflow-enhanced, inversion-recovery bSSFP: Validation against DSA in swine". European Radiology Supplement 2010

Bley TA, Schiebler ML, Reeder SB, Birttain J, Grist TM, Francois CJ. Non-contrast-enhanced renal MRA using inflow-enhanced, inversion-recovery bSSFP at 3T. European Radiology Supplement 2010

Bley TA, Schiebler ML, Reeder SB, Takei N, Wieben O, Grist TM, Francois CJ. "Native Nieren MRA mittels Inflow-Enhanced, Inversion-Recovery bei 3T: Validierung gegen DSA im Tierversuch". Fortschr Röntgenstr, (2010) 182, Suppl

Bley TA. "Organspezifische Kontrastmittel". Refresherkurs, Fortschr Röntgenstr (2010) 182, Suppl

Bley TA. "Imaging in the Diagnosis of Giant Cell Arteritis: State of the Art". American College of Rheumatology, Annual Conference, Atlanta, USA

Bley TA. "High resolution vessel wall imaging in giant cell arteritis: 7 years experience". Book of Abstracts, International Angio Club, Seoul

Buhk JH, Frisch MU, Yamamura J, Graessner J, Adam G, Wedegärtner U. Hochauflösende intrauterine MR-Bildgebung des Innenohrs am Schaf-Fetus. Fortschr Röntgenstr (2010) S1:182

Buhk JH, Bradford BT, Koops A, Schroeder D, Krautschneider WH, Adam G. An Integrated Stent Graft for Noninvasive Four-dimensional Aneurysm Sac Pressure Monitoring after Endovascular Aortic Aneurysm Repair. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Forberich E, Raabe N, Freund B, Bruns O, Kaul MG, Adam G, Ittrich H. Proof of SPIO agglomeration caused by protein binding through r_2 and r_2^* calculation (P3). Meeting Programm MoBi 2010. Kloster Seon

Freund B, Giemsa A, Ittrich H, Bruns O, Tromsdorf U, Heeren J, Weller H, Hohenberg H, Adam G, Beisiegel U, Nielsen P. Synthesis, physicochemical and toxicological characterization of ^{59}Fe -labelled nanoparticles for targeting arteriosclerotic lesions. Proc. 78th Congress European Atherosclerosis Society (2010) 42

Frisch M, Yamamura J, Graessner J, Hecher K, Adam G, Wedegärtner U. MR Angiography of the fetal Vessels: A Feasibility Study in the Sheep Fetus. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Grabowski E, Raabe N, Freund B, Bruns O, Kaul MG, Adam G, Ittrich H. Effekt von Proteinbindung auf r_2 und r_2^* von superparamagnetischen Eisenoxidpartikeln im 3T MRT. Experimentelle Radiologie 2010. Kiel. Fortschr Röntgenstr 182 (2010) A19

Grabowski E, Raabe N, Freund B, Bruns O, Heine M, Adam G, Ittrich H. ^{59}Fe - labeled SPIO for quantification of particle concentration in vivo at 3T. World Molecular Imaging Congress 2010, Meeting Program (2010) 0710B

Groth M, Henes FO, Muellerleile K, Adam G, Regier M. Intraindividuelle Vergleich von nativen und Kontrastmittel-angehobenen MRT-Sequenzen zur Bestimmung der Diameter stenotischer und nicht-stenotischer Pulmonalarterien. Fortschr Röntgenstr 182 (2010) DOI: 10.1055/s-0030-1252824

Groth M, Henes FO, Müllerleile K, Adam G, Begemann PG, Regier M. Der pulmonalarterielle Obstruktionsgrad bei akuter Lungenarterienembolie korreliert mit der Abnahme des rechtsventrikulären Schlag- und Minutenvolumen - Tierexperimentelle Untersuchungen. Fortschr Röntgenstr 182 (2010) DOI: 10.1055/s-0029-1248007

Habermann CR, Arndt C, Graessner J, Reitmeier F, Jaehne M, Adam G. Diffusionsgewichtete MRT primärer Tumoren der Glandula parotidea: Kann eine höhere b-Wertkombination das Diagnostische Potential verbessern? Fortschr Röntgenstr (Supplement) 182 (2010) 160

Habermann CR, Hahne JD, Koops A, Nolte-Ernsting C, Adam G. Follow-up of Endovascular Abdominal Aortic Repair Using Computed Tomography: Is the Measurement of the Maximal Diameter alone Adequate to Exclude Aneurysm Enlargement? (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Henes FO, Regier M, Groth M, Adam G, Begemann PG. Tierexperimenteller Vergleich der diagnostischen Genauigkeit in der Detektion von Lungenarterienembolien zwischen Standard- und Niedrigdosis MDCT. Fortschr Röntgenstr 182 (Supplements) 2010 181

Henes FO, Lorenzen J, Bannas P, Püschel K, Adam G, Lorenzen M. Diagnostic Accuracy of Postmortem Whole Body Magnetic Resonance Imaging in Comparison with Conventional Autopsy. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Herrmann J, Junge CM, Ganschow R, Fischer L, Scheibner S, Helmke K. Prognostic significance of Doppler ultrasound measurements in follow-up of children after liver transplantation. *Pediatr Radiol* (2010) 40:1065.

Herrmann J, Junge CM, Ganschow R, Burdelski M, Bröring D, Adam, GB, Helmke K. Capsular arterial collaterals after paediatric liver transplantation. RSNA assembly and annual meeting program. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Ittrich H, Bruns O, Peldschus K, Kaul MG, Tromsdorf UI, Reimer R, Adam G, Heeren J. Real time MR Imaging of lipoprotein uptake in liver with lipophilic USPIO at 3T. Proc. World Molecular Imaging Congress (2010) 0953B

Ittrich H, Raabe N, Grabowski E, Freund B, Bruns O, Heine M, Kaul M, Adam G. Changes of transversal relaxivity of SPIO in different biological solutions at 3T: influence of protein binding. Proc. World Molecular Imaging Congress (2010) 0934B

Ittrich H, Priest AN, Jahntz C, Weber C, Misselwitz B, Adam G. Limits in Detection of high risk atherosclerotic plaques with USPIO enhanced MRI at 3T in an animal model atherosclerosis. Proc. 78th Congress European Atherosclerosis Society (2010) 17

Ittrich H, Nielsen T, Schaeffter T, Weber C, Misselwitz B, Weinmann HJ, Adam G. Magnetic Resonance Imaging of high risk atherosclerotic plaques using Gadofluorine M in a hyperlipidemic animal model at 3T. Proc. 78th Congress European Atherosclerosis Society (2010) 41

Ittrich H, Peldschus K, Kaul M, Leussler C, Nolte-Ernsting C, Adam G. High resolution in vitro probe and in vivo small animal imaging with dedicated solenoid coils at a clinical 3T MR scanner. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Jung C, Bruns O, Kaul MG, Heeren J, Adam G. Application of Nanosomes for the Detection of Atherosclerotic Plaques in ApoE Mice. Molekulare Bildgebung (2010) L15

Kaul MG, Adam G. Repeatability and Reproducibility of Transverse Relaxation Time Measurements in Magnetic Resonance Imaging. World Molecular Imaging Congress (2010), 0321A

Kaul MG, Adam G. Statistical and Systematic Errors in T2 and T2* Relaxation Time Measurements: Assessment by Monte Carlo Simulations. World Molecular Imaging Congress (2010), 0323A

Kijak AD, Wedegärtner U, Yamamura J, Adam GB, Fischer R, Wildberger JE. Dose Optimization for MSCT Protocols to Detect Pulmonary Embolism Using Simulated Low-Dose MSCT In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Klink T, Regier M, Schwartz B, Adam G, Begemann P: Der Einfluss des z-Achsen Springfokus und der überlappenden Bildakquisition auf die Bildqualität und -auflösung in der "Step and Shoot" Computertomografie mit breitem Detektor, Fortschr Röntgenstr 2010; 182 DOI: 10.1055/s-0030-1268339

Klink T: Cardiac MRI: Image Planes and Sequence Options. ESCR 2010. DOI 10.3205/ESCR.2010.AOP

Klink T, Regier M, Schwartz B, Adam G, Begemann P: Image Quality and Resolution in Wide-detector Computed Tomography with Step and Shoot Data Acquisition. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Klink T, Hoffmann M, van Stevendaal U, Adam G, Grass M, Begemann P: CT-Diagnostik der Koronarsklerose - Die automatisierte Bestimmung eines optimalen Rekonstruktionsintervalls mittels "Motion Maps"; Fortschr Röntgenstr 2010; 182, DOI: 10.1055/s-0029-1247987

Koops A, Simon P, Knopp C, Wilms C, Adam G: Leberregeneration der Spender einer Leber-Lebendspende-Transplantation: Volumetrische und bildgebende Ergebnisse aus der CT-/MRT-Nachsorge. Fortschr Röntgenstr 182 (Suppl 1) (2010) S220

Koops A, Hoffmann B, Ueberschär D, Willems S, Adam G: MR Angiography of Pulmonary Vein Narrowing after Radiofrequency Ablation Therapy of Atrial Fibrillation: Linear and Cross-sectional Area Multislice Measurements Compared with Ablation Energy and Variant Pulmonary Vein Anatomy. (abstr). In: Radiological Society of North America scientific assembly and annual meeting

program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Koops A, Suchy P, Begemann PGC, Krupski G, Adam G: Subjective Pain and Life Quality during and after Percutaneous Transhepatic Catheter Drainage (PTCD): Results of a Patient Survey Compared to Clinical Success and Complications. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Laqmani A, Adam G, Regier M. Initial Thoracic Radiographic and CT Findings of Novel Swine-origin Influenza (H1N1) Virus Infection in Immunocompromised Patients. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Peldschus K, Regier M, Derlin T, Kroeger N, Adam G, Klutmann S, Weber C. MRT-Ganzkörperuntersuchungen von Patienten mit negativem PET/CT nach allogener Stammzelltransplantation bei Multiplem Myelom. RöFo Fortschr Röntgenstr 182 (2010) S257

Raabe N, Grabowski E, Freund B, Bruns O, Heine M, Kaul M, Adam G, Ittrich H. Comparison of T2* relaxation changes and dynamic susceptibility contrast MRI in vivo at 3T with use of two different core-size SPIO. World Molecular Imaging Congress 2010, Meeting Program (2010) 0712B

Raabe N, Grabowski E, Freund B, Bruns O, Heine M, Kaul MG, Adam G, Ittrich H. Quantifizierung von #R2* über 59Fe markierte SPIO* in vivo im 3T MRT. Fortschr Röntgenstr 182 (2010) A20

Raabe N, Forberich E, Freund B, Bruns O, Heine M, Kaul MG, Adam G, Ittrich H. In vivo quantification of #R2* by 59Fe - labelled SPIO* at 3T. (L5) Meeting Programm MoBi 2010. Kloster Seon

Raabe N, Laatsch A, Toedter K, Adam G, Wedegaertner U, Yamamura J. Measurement of polyunsaturated fatty acids in fish using 3T MR spectroscopy: Options for metabolic MRS? (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Regier M, Schwarz D, Derlin T, Begemann PGC, Klose H, Adam G. Diffusion weighted MRI and FDG-PET in nonsmall cell lung cancer (NSCLC): Does the apparent coefficient (ADC) correlate with the tracer uptake (SUV)? Insights into Imaging 1 (Suppl.1) 2010

Regier M, Henes FO, Schwarz D, Groth M, Riesenberger G, Adam G, Begemann PGC. 4D Multidetector-CT des Thorax: Intraindividueller Vergleich der Bildqualität retrospektiver und prospektiver Gating-Techniken am Schweinemodell. Fortschr Röntgenstr 182 (2010)

Regier M, Henes FO, Schwarz D, Groth M, Riesenberger G, Adam G, Begemann PGC. 4D Multidetector-CT des Thorax: Intraindividueller Vergleich der Bildqualität retrospektiver und prospektiver Gating-Techniken am Schweinemodell. Experimentelle Radiologie 2010

Salamon J, Peldschus K, Daniel W, Lange C, Schumacher U, Adam G, Ittrich H. Untersuchung der Verteilung magnetisch markierter mesenchymaler Stromazellen im E-/P-Selektin-defizienten Mausmodell mit einem 3.0T MR-Tomographen. RöFo Fortschr Röntgenstr 182 (2010) S159

Schwarz D, Ries T, Begemann PGC, Brandl S, Hennigs J, Klose H, Adam G, Regier M. Diffusion weighted MRI with background signal suppression (DWIBS) for the detection of pulmonary nodules at 1.5 Tesla: Initial results. European Radiology, Suppl (2010) B 275

Yamamura J, Grosse R, Schoennagel B, Nielsen P, Fischer R, Harmatz P, Janka GE, Adam G. Pancreatic Exocrine Function Predicts Cardiac Iron in Patients with Iron Overload and Thalassemia. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Yamamura J, Grosse R, Schoennagel B, Berg J, Nielsen P, Fischer R, Harmatz P, Janka GE, Adam G.

Liver Iron by MRI-R2* in comparison to MRI-R2 and biosusceptometry. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Yamamura J, Frisch M, Kopp I, Graessner J, Hecher K, Adam G, Wedegärtner U. A Novel Technique for Cardiac MRI of the Fetal Heart: MR compatible Doppler Ultrasound (CTG) for Cardiac Triggering. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Yamamura J, Mir TS, Grosse R, Engelhardt R, Graessner J, Kurio G, Fischer R, Janka GE, Adam G. Assessment of cardiac iron and right ventricular function by GRE-MRI in patients with thalassemia and sickle cell disease. (abstr). In: Radiological Society of North America scientific assembly and annual meeting program [book online]. Oak Brook, Ill: Radiological Society of North America, 2010. <http://rsna2010.rsna.org/>

Yamamura J, Raabe N, Laatsch A, Toedter K, Adam G, Wedegaertner U. Measurement of Polyunsaturated Fatty acids in Fish using 3T MR Spectroscopy. World Congress of Molecular Imaging. Kyoto, Japan. 2010.

Yamamura J, Frisch M, Kopp I, Graessner J, Hecher K, Adam G, Wedegärtner U. A Novel Technique for Cardiac MRI of the Fetal Heart: Initial Results. Congress of Fetal MRI. Vienna, Austria. 2010

Yamamura J, Frisch M, Graessner J, Hecher K, Adam G, Wedegärtner U. Self-gating MR Imaging of the Fetal Heart in comparison with MR Imaging with Cardiac Triggering: a Feasibility Study in the Sheep Fetus. Eur Congress of Radiology 2010.

Yamamura, J; Frisch, M; Graessner, J; Kalina, S; Adam, G; Wedegärtner, U. Darstellung des fetalen Herzen mittels Self-gating MRT: Vergleich mit MRT mit kardialer Triggerung- Eine Machbarkeitsstudie an einem Tiermodell. Fortschr Röntgenstr 2010; 182: VO322_6-

Yamamura, J; Grosse, R; Engelhardt, R; Berg, J; Nielszen, P; Janka, G; Adam, G; Fischer, R. Eisenverteilung im Herzen bei Patienten mit Thalassämia major gemessen mittels MRI-R2*. Fortschr Röntgenstr 2010; 182: VO316_5-

Auszeichnungen und Preise

Bley T, Best scientific paper award der European Society of Radiology, ESR anlässlich des European Congress of Radiology 2010, Wien, Österreich

Ittrich H, Young Scientist Poster Award - 78th Annual Meeting European Atherosclerosis Society

Raabe N, 3. Platz Forscherpreis, Experimentelle Radiologie, Kiel 2010.

Regier M, European Congress of Radiology 2010: 1st prize for the "Best scientific Paper" - Award within the topic "Thoracic Radiology".

Stipendien

keine

Drittmittel

Bley T. DFG Normalverfahren: Systemische Vaskulitis-Diagnostik mit Moving Table MRT", BL1132/1-1

Wedegärtner U. DFG Normalverfahren: Fetale funktionelle Magnetresonanztomographie im Tiermodell", WE 2628/1-3

Wedegärtner U. Komplementäre Forschungsförderung UKE

Patentanmeldungen

keine

Valett K, Wedegärtner U., Yamamura J., Deutsches Patent- und Markenamt 10 2010 025 857.1
Ultraschallsensor für einen Kardiotokographen, Anmeldetag: 02.07.2010

Adam G, Buhk JH, Koops A, Krautschneider W, Schröder D, Bradford B:
Gefäßprothese. Europäisches Patent Nr. 10010433.0 - 2319. Anmeldetag: 23.09.2010.